

CASIO Gree	en Procurem	ent Surv	ey Sheet	(1/3)] :filled b	y examine	r (CASIO)			
Submit the inquiry sl	heet 1/3, 2/3 and 3/3 as	Excel data]:filled b	y supplier				
							: autom	tically dis	olayed bas	ed on the i	filler conten	:
							(filling	is impossi	ble)			
<information of<="" th=""><th>Examiner></th><th></th><th></th><th><informat< th=""><th>ion of Sup</th><th>plier></th><th></th><th></th><th></th><th></th><th></th><th></th></informat<></th></information>	Examiner>			<informat< th=""><th>ion of Sup</th><th>plier></th><th></th><th></th><th></th><th></th><th></th><th></th></informat<>	ion of Sup	plier>						
Name of company	CASIO Computer C	Co, Ltd.		Name of deale	r	AA Co.Ltd.		Date of reply	2004/04/22			

CASIO Group Green Procurement - Survey Sheet Input Guide





This logo symbolizes the important environmental activities of the Casio Group for the 21st century.

Issued: February 2005 Revised: August 2015

CASIO COMPUTER CO., LTD.

- At the beginning -

This input guide is intended to assist you in correctly completing the Casio Green Procurement Survey sheet. You should begin by referring to the completed sample form (survey form 1/3 to 3/3) at the back of this document. This will give you a general overview.

* Revision parts of this edition are written by the blue.

Changed part

1. Name changes and additions to the surveyed chemical substances

This survey form is based on the previous form (Oct. 2011 edition) and has been updated to comply with the latest laws and regulations.

The following chemical substances have been renamed or added to the list of chemical substances selectable in sheet 3 of the survey form.

	Sel	ect substance	es group		×	
		Select substan	ces group from	the list below		
		Group No.	JGPSSI No.	Name of Substances Group	Control Level	
		21	A13	Selenium and its compounds	Reduction 🔺	
		22	B08 B07	Brominated flame retardant (except PBB, PBDE) Poly vinyl chloride (PVC)	Reduction	
Renamed	٦ (24	C05	Phthalates (except DEHP, DBP, BBP, DIBP)	Reduction	
	- 1	25	-	Creosote	Reduction	
		26	-	Formaldehyde	Reduction	
		27	-	PFOS and its related salts	Banned 🗾	
		0	-	Not applicable	-	
				ОК		

	Sel	lect substance	es group		×						
		Select substances group from the list below									
		Group No.	Control Level								
		28	-	2-(2'-Hydroxy-3',5'-di-tert-butylphenyl)benzotriazol	Banned 🔺						
		29	-	Dimethylfumarate(DMFu)	Banned						
		30	-	Hexabromocyclododecane (HBCD)	Banned						
Added	וור	32	-	PFOA and individual salts and esters of PFOA	Banned						
	1	33	-	Polycyclic aromatic hydrocarbons (PAHs) Specific phthalates (DEHP, DBP, BBP, DIBP)	Banned						
	'										
		0	-	Not applicable	-						
				ОК							

2. The Chemical Substances of Exemption Conditions

Previously, detailed replies were not required for chemical substances to which exemption conditions apply. Instead of a detailed reply, the presence of exempted chemical substances was reported simply by entering "1" in the exempted use field ([Exempted use: 1]).

In future, where replies are received for chemical substances in exempted uses, a "2" should be entered in the exempted use field ([Exempted use: 2]).

Previously

1	list No.	Name of components		Substance group No.	JGPSSI No.	Name of chemical substances (group)	Position containing chemicals (one homogeneous material is defined as one survey unit)	Object of use of chemicals	Concen -tration (wt%)	Exempt- ed use (Yes: 1)			Note
][selection list						1 or nothing		ſ	
	1	CAPACITOR	1Г	17	A01	Antimony and its compour	Sealing material	fire retardant	12	(1)	Π	Γ	
	1	CAPACITOR	1 [20	A11	Nickel and its compounds	Electrode	Plating	99	1			

Not required to report on the substances of the exemption conditions (lead in the ceramic of electronic components) (Situation where the exempted use of lead is hidden (lead contained in glass in electronic components).)

1	ln 1	future										
Li No	ist o.	Name of components	 Substance group No. selection list	JGPSSI No.	Name of chemical substances (group)	Position containing ch (one homogeneous ma defined as one surve	emicals aterial is y unit)	Object of use of chemicals	Concen -tration (wt%)	Exempt- ed use (Yes: 2) 2 or nothing		Note
	1	CAPACITOR	9	A09	Lead and its compounds	Electrode		Electrode material	40	2	T	Lead in glass
	1	CAPACITOR	17	A01	Antimony and its compour	Sealing material	7	fire retardant	12			
	1	CAPACITOR	20	A11	Nickel and its compounds	Electrode		Plating	99		11	

Where an exempted chemical substance has been entered, enter "2" in the [Exempted use:] field in the reply line (lead contained in glass in electronic components).

Additionally, please input the reason for exemption in "Note" cell.

Notes

<Sheet3> The order and omission of [Components List No.]

All components are required any answers. [Components List No.] of all components must be filled on Sheet3 in incremental order. Refer to *Note1) of page 9 of this document for details.

[1] Survey Data

• Fill in the content of chemical substances on the components or material delivered as of April 1, 2005 onto the Survey Sheet.

The survey sheet for the survey data is provided as electronic data. Since the sheet is delivered in the Microsoft Excel 97 format, input the data with a personal computer and file it in the Excel format. The file name of the delivered sheet is "G-XX.xsl" (XX denotes an abbreviated name of the supplier).

The file for the survey card contains Macro format. Make Macro effective by the following procedure, and open the survey sheet file.

i) Click "Tools", "Macro" and "Security" of Microsoft Excel in this order.



ii) The screen as shown on the right is displayed. Mark "<u>Middle</u>" of the security level, and click "OK".

Security		<u>?×</u>
Security Level	Source] .
C <u>H</u> igh		
<u>©</u> <u>M</u> iddle		
C <u>L</u> ow		
	ОК	Cancel

iii) Open the file of the survey sheet by double-click. The screen as shown on the right will appear. Click "<u>E</u>nable Macro", then the file of the Survey Sheet opens.

```
Click Enable macro . The tool is open.
```



This file contains three sheets; sheet 1, sheet 2 and sheet 3.

Input cells are classified by colors.

Gray cells	are provided for input by the surveyor (CASIO).
Blue cells	are provided for input by the supplier.
Yellow cells	are automatically displayed based on the contents of reply. Input is not allowed.

Give a glance over input examples at the end of Green Procurement Standard Manual to grasp the whole features.

[2] Input procedure of [Survey Sheet 1]

The environment management system is assessed in this sheet on each factory producing the components delivered to CASIO.

When a supplier has plural factories, respective factories should be assessed.

Note: Only the factories that are in charge of the final process of the components or material delivered to Casio are included in this survey. The sub-contractors for such final process factories are excluded.



1) Open the " Sheet 1" sheet.

	38						
l	39						
l) ا	Sheet 1	Sheet 2	7	Sheet 3	7

2) Information for surveyor

The name and address of CASIO's person in charge of survey are filled in by Casio.

Name of company	CASIO Computer Co, Ltd.			
Department	Acoustic Division			
Person in charge	Taro SUZUKI			
Tel. No.	XXX-XXX-XXXX			
FAX No.	XXX-XXX-XXXX			
E-Mail	xxxxxx@xxx.xxx.xx			

3) Information of supplier

Information of the supplier is filled in by Casio's person in charge.

Name of dealer	AA Co.Ltd.
Supplier code	98765432
Section of CASIO in charge	Purchase div. Acoustic Dept

4) Supplier's Contact Person (person in charge)

The name of the person in charge of reply is filled by the supplier. Fill " - (hyphen)" when telephone, FAX or E-mail is not available. (Don't leave the cell blank.)

Name	Ichiro SATO
Section	First sales Division
Tel. No.	XXX-XXX-XXXX
Fax No.	XXX-XXX-XXXX
E-mail	xxxxxx@xxx.xxx.xx

5) Manufacturer, Production factory

Fill the name of the company producing the product delivered to CASIO and its factory. The filled data is reflected on Sheet 2.

* Be sure to fill in the Manufacturer and Production factory. Otherwise, the input data will become invalid and be deleted when the Input Check Button is clicked.

manufacturer	production factory
AA Electric Co.	Tokyo factory
AA Electric Co.	Osaka factory
BB Production Co.	China factory

6) Acquisition of ISO 14001

Fill in the acquisition date of ISO 14001. Or, fill the expected date of acquisition if the acquisition will be done within a year.

Note: Fill the date in the form of yyyy/mm (for example, September 2004 should be expressed as 2004/09, not 2004/9).

To fill in the items from (c) to (j) is not necessary when the date of acquisition or expected date of acquisition is filled.

	acquisition of ISO 14001		
isition if the	(a)	(b)	
1	acquired (date of acquisition)	planning to acquire within year (scheduled date)	
	yyyy/mm	yyyy/mm	
_	100/0	90/0	
	2000/03		
Fill in the form	N	3 2004/9	
of yyyy/mm	0	< 2004/09	

7) Voluntary actions on the environment management system

Report the current status on the voluntary actions on the environment management system when acquisition of official recognition of ISO 14001 is scheduled within one year. Enter the results of self-assessment according to the assessment items in page 4 to 5 in the Standard Manual by Y (Yes) or N (No).

Note: Fill all the cells (c) to (j) if you have not filled in the date or the expected date of acquisition of ISO14001. Don't leave any cells blank.

	environment management system voluntary action						
(c)	(d)	(e)	(f)	(g)	(h)	(i)	()
organization and promotion system	participation of management top	environment policy, action plan	observation of environment related law	no use of harmful substances in production process	no guidance or punishment by supervisory government office	public report of environment protection action	education and enlightenment of employee
Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N
10/0	10/0	10/0	20/0	10/0	20/0	10/0	10/0
Y	Y	Y	Y	N	Y		N

Assessment point, assessment rank

"Total assessment Point" and "Green Factory Assessment Rank" are displayed based on the input data of the items 5) to 7) above.

total	green factory
assessment	ranking
point	
70+ points =	
Preferred	
procurement	
100	SV
90	AV
80	AV

Input Check Button

Press "Input Check Button" at upper-right of Survey Sheet (1/3)

9) Check of input

Having completed entries so far, press the "Input Check Button" at the upper-right of Sheet 1to check the entry data.

Be sure to press the Input Check Button after the Manufacturer and Production factory having been entered. Otherwise, the input data will be regarded invalid and deleted.

The message as shown on the right is displayed under the "Input Check Button" when some errors are found, and the mistaken cells are indicated by red color. Enter the correct information and click the "Input Check Button" again.

Refer to the following descriptions for correcting the errors.

Input Ch	eck Button		
NG by che	eck. Correct	red cells	
NG by che	eck. Correct	t red cells	

CASIO Group Green Procurement - Survey Sheet Input Guide

Error Message	Correction
Fill all the cells of <supplier's desk(windoe="" person)="">. **** is blank. Click "Input Check Button" again after entering ****.</supplier's>	Fill blank cells of <supplier's desk(window="" person)="">. Fill "No" if the information is not available.</supplier's>
a) Fill the acquisition date of ISO 14001 by yyyy/mm.	For example "2000/09".(4digits:year/2digits: month)
b) Fill the expected acquisition date of ISO 14001 by yyyy/mm.	For example "2004/09".
Fill Y or N for the items from c) to j).	Fill Y or N .
Blank cells are fund. Fill the cell a)or b), or all the cells from c) to j).	 To fill the cells from c) to j) is not necessary when a) or b) is filled.Fill all the cells c) to j) when a) or b) is not filled. Input format errors may be displayed even when all the cells are filled. Correct the input format of red cells.

Click the check button again after correcting the entries. The message as shown on the right indicates that input of Survey Sheet 1 has been completed. Advance to Survey Sheet 2.

Check results are OK. Go ahead to Survey Sheet 2				

[3] Input procedure of [Survey Sheet 2]

* Be sure to proceed with Survey Sheet 2 entries only after Input Check of Sheet 1 is OK.

The fact if or how much the components delivered to Casio are in compliance with the environmental requirements, regulations or laws is assessed in this survey.

1) Open the " Sheet 2" sheet.

	44				
Ш	45				
		🚬 Sheet 1 🔾	Sheet 2	Sheet 3	1

List of component requested for survey

CASIO's person in charge allocates the numbers of the components to be surveyed and fills in the component name, CASIO parts No. and parts codes before delivering the Sheet 2 to you.

No.	name of components	CASIO parts No.	parts code
1	Ni-Cd cell	NICD5012AA	12345678
2	cable unit	A23456-1	23456789
3	module IC	ICM123-A01	34567890

2) "Discontinued components or service parts only", "Manufacturer's Parts No".

Basic information of the components should be filled.

2-1. Enter if the component is discontinued or service use only.

Fill "Y" when the components are discontinued or service use only and "N" otherwise.

Even on the discontinued components, Casio may ask you to conduct assessment. In such a case, enter "N" and continue further entries. Be careful that entering "Y"after the entries of assessment will make the input data disappear.



2-2. Input of manufacturer's parts No. (catalogue No.)

3) Double-click any of "Manufacturer Name", "Factory Name" or "Green factory Rank" cell. onens



Select Manufacturer & Factory from the list below.

Tokvo factorv

Osaka factory

OK

Factory Rank

SV

AV

AV

.

•

Factory

The screen, on the right, will appear corresponding to Manufacturer Name/Factory Name/Green Factory Rank filled in Sheet 1.

4) Select the listed Manufacturer Name/Factory Name and click "OK".

•Manufacturer Name/Factory Name/Green Factory Rank are written into Sheet 2.

- * If Input Check of Sheet 1 is not good, Manufacturer Name/ Factory Name/Green Factory Rank will not be shown properly.
- * For the components discontinued or for service use only, select any choice (correct answer is not required).

5) "CASIO Specification", "Component weight (g)"

5-1. Enter if the component is Casio specified one or not. Enter "Y" when the specification of the component is defined by CASIO, and "N" when the component is a standard component.

* For the components discontinued or for service use only, enter "-".

5-2. Enter the weight of the component (g).

* For the components discontinued or for service use only, enter "-".

6) Product assessment (1) to (6), amount of use of mercury

6-1. Enter the product assessment (1) to (6).

Fill the results of the product assessment (1) to (6) according to the page 5 to 8 of Green Procurement Standard Manual.

- * Enter "Y" if the component is out of the scope of survey (e.g. too small).
- * For the components discontinued or for service use only, enter "-".

6-2. Fill the amount of mercury (mg)

Enter the amount of mercury (mg) only when intentionally added. (Enter significant two digits.)

- * When the amount varies, enter the norm-value.
- * Enter "0" when mercury is not purposely added. Don't leave the cell blank.
- * For the components discontinued or for service use only, enter "-".



Select Manufacturer & Factory

BB Production Co. china factory

Manufacturer

AA Electric Co.

AA Electric Co.



specifica- tion of	weight of parts
CASIO	(g)
Y/N	
Y	12
N	25

7) Heavy metals contained in the battery, and the packaging components

7-1. Reply about the heavy metals contained in the battery.

- Reply if batteries are used or not by Y/N.
- a. If not, enter "N". Then, "Y" is automatically filled in the cells for "Heavy Metals Contained in the Battery".
- b. If yes, enter "Y", and, then, enter either "Y" or "N" in the subsequent three cells.

* Note!

Fill "**Y**" when the content of the heavy metals is **below the regulated level**. Fill "**N**" when the content of the heavy metals is **above the regulated level**.

- * For the components discontinued or for service use only, enter "-".
- 7-2. Then, reply about the content of the heavy metals in the packaging components.

* Note!

Fill "Y" when the content of the heavy metals is $\ensuremath{\text{below}}$ the regulated level.

- Fill "N" when the content of the heavy metals is above the regulated level.
- * For the components discontinued or for service use only, enter "-".

8) Click "Input Check Button"

Click the "Input Check Button" at the upper-right of the Sheet2 after completing input so far.

When "NG by check" is shown:

When any blank cells or input errors are found, "NG by check" is shown and the mistaken cells turn red.

•Enter the correct information and click

"Input Check Button" again.

Refer to the following descriptions for correcting errors.

Error Message	Correction
Fill "Component Weight" in figure.	Enter numerical values only in direct input mode.
	(Example) 15: OK, 15g: NG
Fill Y or N (direct input mode) in Product assessment (1) to (6)	Enter Y or N in direct input mode.
Fill a numerical value (direct input mode) in Product Assessment	Enter numerical values only in direct input mode.
(7) "Content (mg) of Mercury".	(Example) 0.08: OK, 0.08mg: NG
Fill Y or N (direct input mode) in Product Assessment (8) and (9).	Enter Y or N in direct input mode.
There are logical errors or unfilled cells. Correct the cells indicated by	-Enter the blank cells.
red color.	- Correct errors in the input format
	- Correct logical errors
	 When "Y" is filled in "Discontinued or for service use only ", input "-" in other input cells.
	 Fill "0" in "Content of mercury" in product assessment (7) when no mercury is contained intentionally.
	3) Correct "The contents of
	Lead/Mercury/Cadmium is below the regulated values ["] to "Y" (no heavy metals) when "N" is filled in "Battery is Used" in product assessment (8).

Input Check Button Check results are OK. Go ahead to Survey Sheet 3.

Input of Survey Sheet2 has been completed. Advance to Sheet3.

essment				
	(8)			
	heavy met	als containe	d in battery	
battery	mercury: below standard value	lead: below standard value	cadmium: below standard value	content of heavy metals in package: below standard value
Y/N	<mark>Υ/Ν</mark> 10∕0	Y/N	Y7N	<mark>Υ/Ν</mark> 10∕0
Y	Y	Y	N	Y
N	Y	Y	Y)	Y

When "**N**" is filled here, "**Y**" is automatically displayed in other cells concerning the heavy metals (meaning that heavy metals are not contained).



Click "Input Check Button" at upperleft of Survey Sheet 2

Input Check Button NG by check. Correct red cells

[4] Input procedure of [Survey Sheet 3]

* Be sure to proceed with Survey Sheet 3 entries only after Input Check of Sheet 2 is OK.

Fill the content (wt%) of chemicals in each material comprising the component delivered to CASIO.

1) Open the sheet "Sheet 3",

35					
36					_
	Sheet 1	- X -	Sheet 2 🚫	Sheet 3	

Fill Component list No.

Reply about the content of chemical substances for each material comprising the component in this survey. Accordingly, plural replies are necessary for one component.

a. Fill the component list No. of Survey Sheet 2 in the "Component List No." at the left side. Component information is displayed in the four cells at the right.

* Enter the Component List No. in incremental order. Enter all the Component List No. in the said order, first, then enter additional information like the concentration of chemical substances.

Enter [Component List No.] in incremental order at first

*Note1) The order and omission of [Component List No.]

The component may be unable to be evaluated when [Component List No.] is not in incremental order or there is any omission of [Component. List No.]. Please pay attention to the order and omission. As for " components discontinued or for service use only", input [Components List No.] and select "0(not correspond)" from the list for chemical substances contained.



Not in incremental order

Some numbers are omitted

Editing lines on Survey Sheet is not possible since the sheets are protected. Please be sure to input [Component List No.] in incremental order at the beginning since correction of the order is very difficult. If you should be obliged to correct the order of [Components List No.], there is no choice other than editing by insertion/deletion of lines in the way shown in the next page.

* Do not enter data for chemical substances that are not surveyed.

E.g.: Azo dyes/pigments in components that does not come into contact with end-users' hands

Entering this information may result in the purchase of those substances being deemed prohibited in the Casio database.

When entering chemical substances that are not surveyed, enter "2" in the [Exempted use:] field as shown in the example on page 12.

*Note 2) Insertion/deletion of lines

Insertion of lines as in usual operation of Excel is impossible in this Survey Sheet since the Excel sheet is protected. The procedure for insertion of lines is as follows:

a-1. Double-click the left side cell on the line of the [Component List No.] of the Survey Sheet to insert or delete lines.

Then, the window of Insert/Delete Lines appears as shown right below.

6		Gre	Green Components Assessment											
7		Compo- nents list No.	Name of components	CASIO components No.	name of manufacturer	components No. of manufacturer								
8														
9		1	Ni-Cd cell	NICD5012AA	AA Bectric Co.	NICD5012								
10		1	Ni-Cd cell	NICD5012AA	AA Bectric Co.	NICD5012								
11		1	Ni-Cd cell	NICD5012AA	AA Bectric Co.	NICD5012								
12		2	cable unit	A23456-1	AA Bectric Co.	A23456-1								
13	-	2	cable unit	A23456-1	AA Bectric Co.	A23456-1								

A

- m + 1

double-click here

5

a-2. Click "Insert" or "delete"

If you click "insert", one line is added between lines 11 and 12. If you click "delete", the line 12 is.

* If you want to add or delete several lines at a time, enter the number of lines you want to add or delete and click either "Insert" or "delete".

4) Select the substances of which information

Insert / Delete Lines	<u><</u>									
Line 12 was double-clicked. Insert a line? Delete the line?										
Number of lines 1										
Insert Delete Cancel										

3) Double-click any one of "Substances Group No.", "JGPSSI Classification No." or "name of Chemicals (Group)", then, "Selection of Substance Group"list is displayed as below.



5) Click [OK] button

you are going to enter.

	Select substance	s group			x
	Select substan	ces group from	the list below		
	Group No.	JGPSSI No.	Name of Substances Group	Control Level	
	3	B05	Polychlorinated biphenyl (PCBs)	Banned	
	4	C01	Asbestos	Banned	
	5	C04	Ozone depleting substances	Banned	
	6	-	Pentachlorophenol	Banned	
	7	A05	Cadmium and its compounds	Banned	
Select the substance	8	A07	Hexavalent chromium and its compounds	Banned	
and click [OK] button.	9	A09	Lead and its compounds	Banned	-
	9	A09	Lead and its compounds	Banned	
			ОК		

CASIO Group Green Procurement - Survey Sheet Input Guide

Information of the selected Substances is filled in the cells of "Substances Group", "JGPSSI Classification No." and "Name of Chemical Substances" automatically.

	substance group No.	JGPSSI classi- fication No.	name of chemical substances (group)	
	selection list			
Information of chemicals is automatically displayed	9	A09	Lead and its compound	s

When no substances are contained:

When the component does not contain regulated substances at all, select "Not correspond" of the substance No. 0 when selecting chemical substances.

In case of components discontinued or for service use only, also select "Not correspond" of the substance No. 0 when selecting chemical substances.

If you select chemical substance, the component information is displayed in the four cells at the right according to Sheet 2.

* Component information will not be reflected properly on Sheet 3 if the Input Check of Sheet 2 is not good.

substance group No.	JGPSSI classi- fication No.	name of chemical substances (group)
selection list		
0	-	not correspond

Compo -nents list No.	Name of components	CASIO components No.	Name of manufacturer	Components No. of manufacturer	Substan -ce group No.							
integer					selection list							
1	Ni-Cd cell	NICD5012AA	AA Electric Co.	NICD5012	9							
				k.								
	Component information is automatically displayed											

by select of the substance from the list.

6) Fill the content of chemical substances

Fill "position containing substances", "object of use of chemicals" and "concentration (wt%)". (Fill the concentration by numerals only.)

[Exempted use: 1] means that the component contains the substances corresponding to the exemption conditions (page 11 of Standard Manual).

position containing chemicals (one homogeneous material is defined as one survey unit)	object of use of chemicals	concentra- tion (wt%)	exempt- ed use (Yes: 1)	abolishment plan (date)	note
				yyyy/mm/dd	
jacket of the wire	stabilizer	0.85			
		Γ			

Fill only numerals 0.85 : OK 0.85wt% : NG

7) Planned Date of Abolishment

Enter the expected date of abolishment in [Abolishment plan] when abolition of the substances is planned.

8) Note

• If you have a plan to abolish the component to switch to a new one or any other significant information, describe it under Note.

*Note3)The Chemical Substances of Exemption Conditions

For chemical substances in exempted uses, where a reply is received enter "2" in the [Exempted use:] field.

List No.	Name of components		S	substance group No.	JGPSSI No.	Name of chemical substances (group)	Position containing chemicals (one homogeneous material is defined as one survey unit)	Object of use of chemicals	Concen -tration (wt%)	Exempt- ed use (Yes: 2)		Note
		11	s	selection						2 or		
		ΙL		list						nothing		
1	CAPACITOR	11		9	A09	Lead and its compounds	Electrode	Electrode material	40	2	\prod	Lead in glass
1	CAPACITOR	1 [17	A01	Antimony and its compour	Sealing material	fire retardant	12		T	
1	CAPACITOR			20	A11	Nickel and its compounds	Electrode	Plating	99		1 [

Where an exempted chemical substance has been entered, enter "2" in the [Exempted use:] field in the reply line (lead contained in glass in electronic components).

Additionally, please input the reason for exemption in "Note" cell.

9) Return to procedure (2), and select the component list No., if necessary.

If several chemical substances are contained, return to the step 2) to insert lines and enter additional data.

As different replies may be necessary for several different substances, plural replies may be required for one component.	Co ne I	mpo- ents list No.	Name of components	CASIO components No.	name of manufacturer	components No. of manufacturer
Note: Fill the component list No. starting		1	Ni-Cd battery	NICD5012AA	AA Electronics	NICD5012
from "1" without leaving any blanks.		1	Ni-Cd battery	NICD5012AA	AA Electronics	NICD5012
	\vdash	1	NI-Cd battery	A23456-1	AA Electronics	A23456-1
for 1 component		2	Cable	A23456-1	AA Electronics	A23456-1

10) Click "Input Check Button".

Click the "Input Check Button" at the upper-right of the Sheet3 after completing input so far.

Input Check Button

Click "Input Check Button" at upper-

When "NG by check" is shown:

This message is displayed when blanks or logical errors are found, and the mistaken cells turn red.

•Enter correct information and click "Input Check Button" again.

Input Check Button NG by check. Correct red cells

Refer to the following descriptions for correcting errors.

Error Message	Correction
Fill [Content of Substances (wt%)] by numerals.	Enter only numerals (example) 8.5: OK, 8.5wt%: NG
Refer to the following table for conection of error messages.	
Fill "1" for [Exempted uses]	Enter "1" or nothing
Fill the scheduled date of abolishment as yyyy/mm/dd.	Enter as 2004/09/01 in numerals. NG: 2004/9/1
The component of the component list No. entered is "Discontinued or Service parts". No input is required.	Skip the component No. of "Discontinued or Service parts", and fill the next component No.
There are logical errors or blanks. Correct the red-colored cells.	 Fill the blank cells. Correct the error of input format Correct logical errors Fill "-" when the component is "Discontinued or Service parts".

When "Check results are OK'' is indicated as shown on the right,

Input Check Button Check results are OK. Double-check if you have not missed any components.

all the entries are OK.

Double-check if all the components are covered (all the components in the Sheet 2 are taken care in the Sheet 3) and if the component list No's are put in order.

11) Return to Sheet 1 and enter the date of reply.

Date of reply	2004/03/28
Enter the da	te in yyyy/mm/dd.

....

12) Keep the Survey Sheet File and send the same to Casio in electronic data.

Input of Survey Sheet has been completed. We appreciate your collaboration.



Green Production Factory Assessment List

		acquisition	of ISO 14001		Envi	ronmental M	lanagemei	nt System	voluntary a	action			
		(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	total	green factory
Name of manufacturer	Name of production factory	acquired (date of acquisition)	planning to acquire within year (scheduled date)	organization and promotion system	participation of management top	environment policy, action plan	observation of environment related law	no use of harmful substances in production process	no guidance or punishment by supervisory government office	public report of environment protection action	education and enlightenment of employee	assessment point 70+ points = Preferred procurement	ranking
		yyyy/mm	yyyy/mm	Y / N	Y / N	Y / N	Y / N	Y / N	Y / N	Y / N	Y / N		
		100/0	90/0	10/0	10/0	10/0	20/0	10/0	20/0	10/0	10/0		
AA Electric Co.	Tokyo factory	2000/03										100	SV
AA Electric Co.	Osaka factory		2004/09									90	AV
BB Production Co	china factory			Y	Y	Y	Y	Ν	Y	N	Y	80	AV
Fill the name of the	3	reply as yy	yy/mm: fill th	e 📃									
delivered to CASIC this column will ma assessment of Inq 2/3 impossible	ticles D. Voids in ake uiry Sheet	ISO14001 ISO14001 or fill the sc acquisition	uisition when had been acqu heduled date when planning	uired, of g.	d, replay as Y or N: when construction of the environment management system is voluntarily effected in the factory, assess the situation of construction according to the Green Procurement Standard Manual, and reply the result by Y(Yes) or N(No) Voids are not permitted					Total assessm green production rank is displayed to the content of	ent point and on factory ed according of reply.		

CASIO Green Procurement Survey Sheet (2/3)

Submit the inquiry sheet 1/3, 2/3 and 3/3 as Excel data

Method of Filling : filled by examiner (CASIO)

: filled by supplier

: automatically displayed based on the filler content (filling is impossible)

Green Components Assessment List (except chemical substances contained)

	basic information of parts										product assessment												
												(1)	(2)	(3)	(4)	(5)	(6)	(7)			(8)		(9)
Nc).	name of components	CASIO parts No.	parts code	final parts or maintenan ce parts	parts No. of manufacturer	name of manufacturer	name of production factory	green productior factory ranking	n specificati n of CASI	io weight of parts (g)	material	simplificati on of disassembl ing	resource saving	energy saving	package	no use of ozone layer destructive material	content of mercury (mg)	battery	heavy me mercury: below standard value	lead: not	ed in battery cadmium: not contained	content of heavy metals in package: below standard value
					Y/N	figures	selection list	selection list		Y/N	figures	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	figures	Y/N	Y/N	Y/N	Y/N	Y/N
(1	Li-ion batterv	LI500AA	12345678	N	LI500	AA Electric Co	. Tokyo Factory	sv	N	58	Y	102 U	102 U	102 U	102 U	Y		Y	Y	Y	N	Y
	2	cable unit	A23456-1	23456789	N	A23456-1	AA Electric Co	. Tokyo Factory	SV	Y	35	Y	Y	Y	Y	N	Y	0	(N	Y	Y T	- Y)	Y
	3	module IC	ICM123-A01	34567890	(TT)					╞╞╴╴				1111		1111							1111
	4	LCD unit	LCMZ456-AA	45678901	N	LCMZ456-AA	AA Electric Co	. Osaka Factor	AV	Y	3	Y	Y	Y	N	Y	Y	0.23	N	Y	Y	Y	Y
	5	Button A	KEYZ456-1	56789012	N	KEYZ456-1	BB Production	China Factory	AV	Y	3	Y	Y	Y	N	Y	Y	0	Ν	Y	Y	Y	Y
	6	panel board	BDZ456-1	67891234	N	BDZ456-1	BB Production	China Factory	AV	Y	540	Y	Y	Y	N	N	Y	0	N	Y	Y	Y	V V
																		T					
	ists	of Parts (del	vered to	- L -				┶━┓┨						•									
C	AS	IO) requested	d for survey a	and	Fill	the parts No.	of the						alv by Y					╟┼╔	only h	v V or	N		
reply are previously filled in these columns. manufacturer. Also write the parts No. of CASIO when the parts are defined by CASIO Reply by Y or N. Select from the list by click of the cell. Reply by "Y" when the components The name of manufacturer and List of							I.	Reply The results of product assessment based on CASIO Green Procurement Standard by "Y" or "No". Fill "Y" when the components include batteries, and "N" when not. "N" is displayed in all items "heavy metals contained in the battery" when "N" is filled.										its nen ems of ihe					
requested for survey are purchased as final products or maintenance components.					produ 1/3" v Select of the factor 1/3" a	production factory written in "Inquiry Sheet 1/3" will be displayed by click of the cell. Select the names from the list. The name of the manufacturer and production factory not described in "Inquiry Sheet 1/3" are not displayed in this list.				Write in figures (components weight in gram unit). Reply by "Y" or "N". Input "Y" when the components are defined by CASIO specification, and input as "N" when the components are standard parts. "Y" is automatically enters in Product Assessment.									/ t ıry is				
				The rank 1/3 is dist	of gree plaved.	en factory ass	essment ir	Inquiry Sh	neet														

CASIO Green Procurement Survey Sheet (3/3)

Submit the inquiry card 1/3, 2/3 and 3/3 as Excel data

Method of Filling : filled by supplier

: automatically displayed based on the filler content (filling is impossible)

Green Components Assessment List (chemical substances contained)

components	No.	Name of manufacturer	Components No. of manufacturer	Substance group No.	classi- fication No.	Name of chemical substances (group)	Position containing chemicals (one homogeneous material is defined as one survey unit)	Object of use of chemicals	Concentra -tion (wt%)	Exempt -ed use (Yes: 2)	Abolishment plan (date)	Note	
										2 or nothing	yyyy/mm/dd		
Li-ion battery	LI500AA	AA Electric Co.	o. LI500 1		A01	Antimony and its compo	Wire coating	Fire retardant	7.5				
Li-ion battery	LI500AA	AA Electric Co.	Co. LI500 1		A03	Beryllium and its compo	Mother alloy of connector	Spring material	1.85				
Li-ion battery	LI500AA	AA Electric Co. LI500		9	A09	Lead and its compounds	Electrode of chip resistor	Electrode materia	40	2		Lead in glass	
cable unit	A23456-1	AA Electric Co.	A23456-1	23	B07	Polyvinyl chloride (PVC	Wire jacket	Wire jacket mater al	65				
cable unit	A23456-1	AA Electric Co.		24	C05	Phthalates (except DEH	Wire jacket	Platicizer	28				
cable unit	A23456-1	AA Electric Co.	A23456-1	23	B07	Polyvinyl chloride (PVC	Insulator of wire	Insulator material	65				
cable unit	A23456-1 AA Electric Co.		A23456-1	34	-	Specific phthalates (DE	Insulator of wire	Plasticizer	28		2017/01/01		
module IC	ICM123-A01 -		-		-	Not applicable	-	-	-	Ŀ	-	-	
LCD unit	LCMZ456-AA	AA Electric Co.	LCMZ456-AA	9	A09	Lead and its compounds	Electrode of chip resistor	Electrode materia	35	2		Lead in glass	
LCD unit	LCMZ456-AA	AA Electric Co.	Co. LCMZ456-AA		A11	Nickel and its compoun	Plating of terminal	Plating material	99				
button A	KEYZ456-1 BB Product		oduction KEYZ456-1		-	Not applicable	-	-			fill as vvvv/mm/dd		
panel board	panel board BDZ456-1		b. BDZ456-1	6	-	Pentachlorophenol	Particle board	Insecticide	0.56		Fill the date	when	
panel board	panel board BDZ456-1 E		b. BDZ456-1	26	l -	Formaldehyde	Particle board	Adhesive	0.12		abolishment	of chemicals	
											is scheduled	1	
rite figures in o equentially inpu quiry Sheet 2/3 omponents info splayed in four o /hen chemical s isitions of use a imponents, they dependently rep /hen the compo lostances, fill the ad select "0" in t	direct input mode t the parts list No starting form 1 rmation is automa cells at the right). substances used of re different in the should be blied. nents contains no e components list he substance grou	e Co in info tically cor shor No. up No. Vice incl	mponents basic ormation is displaye bending on the stent in "Inquiry set 2/3". ect from the list. ck the cell, and sel The list is the sar SIO Green Compo ndard" page 14 an "0(Not applicable) uded. Voids are n	ect the su nents" in d thereaft " when th ot accept	GPSSI cla aame of the substance: correspond chemical S CASIO Group ubstance of t of Chem "CASIO Group t of Chem Chem Chem Chem Chem Chem Chem Chem	assification No. and e chemical s are displayed ding to "List of Substances for een Components". group No. from the nical Substances for Green Procurement al substances are not	Fill the position and object of use of chemica substances. Write "impurities" in "object of use" when substances are contained as impurities.	Reply figures. Fill the concentration of chemical substances (unit: wt%) per one homogeneous material according to "CASIO Green Procurement Reply figures. For exempted chemical substances, where a re received enter "2" in the [Exempted use:] field. Additionally, please inp reason for exemption ir "Note" cell.					
	Li-ion battery Li-ion battery Li-ion battery cable unit cable unit cable unit cable unit cable unit cable unit LCD unit LCD unit LCD unit button A panel board panel board pan	Li-ion battery LI500AA Li-ion battery LI500AA Li-ion battery LI500AA cable unit A23456-1 cable unit A23456-1 cable unit A23456-1 cable unit A23456-1 cable unit A23456-1 cable unit A23456-1 cable unit LCMI23-A01 LCD unit LCMI23-A01 LCD unit LCMI2456-AA button A KEYZ456-1 panel board BDZ456-1 panel board BDZ456-1 panel board BDZ456-1 panel board BDZ456-1 cable unit cells at the right). Vhen chemical substances used cositions of use are different in the proponents, they should be dependently replied. Vhen the components contains no ubstances, fill the components in so contained components or set a select "0" in the substance group	Li-ion battery LI500AA AA Electric Co. Li-ion battery LI500AA AA Electric Co. Li-ion battery LI500AA AA Electric Co. cable unit A23456-1 AA Electric Co. cable unit LCM23-A01 - LCD unit LCM2456-AA AA Electric Co. LCD unit LCM2456-AA AA Electric Co. button A KEYZ456-1 BB Production panel board BDZ456-1 BB Production panel board BDZ456-1 BB Production Co qanel board BDZ456-1 BB Production Co rite figures in direct input mode equentially input the parts list No. in quiry Sheet 2/3 starting form 1 omponents information is automatically splayed in four cells at the right). /hen chemical substances used or seitions of use are different in the omponents, they should be dependently replied. /hen the components contains no ubstances, fill the components list No. nd select "0" in the substance group No.	Li-ion battery LI500AA AA Electric Co. LI500 Li-ion battery LI500AA AA Electric Co. LI500 Li-ion battery LI500AA AA Electric Co. LI500 cable unit A23456-1 AA Electric Co. A23456-1 cable unit A23456-1 AA Electric Co. LCMZ456-AA LCD unit LCMZ456-AA AA Electric Co. LCMZ456-AA LCD unit LCMZ456-AA AA Electric Co. LCMZ456-AA button A KEYZ456-1 BB Production KEYZ456-1 panel board BDZ456-1 BB Production Co. BDZ456-1 panel board BDZ45	Li-ion battery LI500AA AA Electric Co. LI500 17 Li-ion battery LI500AA AA Electric Co. LI500 19 Li-ion battery LI500AA AA Electric Co. LI500 19 Li-ion battery LI500AA AA Electric Co. LI500 9 cable unit A23456-1 AA Electric Co. A23456-1 23 cable unit A23456-1 AA Electric Co. A23456-1 34 module IC ICM123-A01 - - 0 LCD unit LCMZ456-AA AA Electric Co. LCMZ456-AA 20 button A KEYZ456-1 BB Production Co. BDZ456-1 0 panel board BDZ456-1 BB Production Co. BDZ456-1 6 qanel board BDZ456-1 BB Production Co. BDZ456-1 26 momponents information is automatically <br< td=""><td>Li-ion battery LI500AA AA Electric Co. LI500 17 A01 Li-ion battery LI500AA AA Electric Co. LI500 19 A03 Li-ion battery LI500AA AA Electric Co. LI500 19 A03 Li-ion battery LI500AA AA Electric Co. LI500 19 A03 Li-ion battery LI500AA AA Electric Co. A23456-1 23 B07 cable unit A23456-1 AA Electric Co. A23456-1 23 B07 cable unit A23456-1 AA Electric Co. A23456-1 34 - module IC ICM123-A01<-</td> - 0 - - LCD unit LCM2456-AA AA Electric Co. LCM2456-AA 9 A09 LCD unit LCM2456-AA AA Electric Co. LCM2456-AA 20 A11 button A KEY2456-1 BB Production Co. BD2456-1 6 - qanel board BDZ456-1 BB Production Co. BD2456-1 26 - rite figures in direct input mode content in "Inquiry Sheet 2/3".</br<>	Li-ion battery LI500AA AA Electric Co. LI500 17 A01 Li-ion battery LI500AA AA Electric Co. LI500 19 A03 Li-ion battery LI500AA AA Electric Co. LI500 19 A03 Li-ion battery LI500AA AA Electric Co. LI500 19 A03 Li-ion battery LI500AA AA Electric Co. A23456-1 23 B07 cable unit A23456-1 AA Electric Co. A23456-1 23 B07 cable unit A23456-1 AA Electric Co. A23456-1 34 - module IC ICM123-A01<-	Image: No. No. Li-ion battery LI500AA AA Electric Co. LI500 17 A01 Antimony and its compo Li-ion battery LI500AA AA Electric Co. LI500 19 A03 Beryllium and its compo Li-ion battery LI500AA AA Electric Co. LI500 19 A03 Beryllium and its compound cable unit A23456-1 AA Electric Co. A23456-1 23 B07 Polyvinyl chloride (PVC cable unit A23456-1 AA Electric Co. A23456-1 23 B07 Polyvinyl chloride (PVC cable unit A23456-1 AA Electric Co. A23456-1 23 B07 Polyvinyl chloride (PVC cable unit A23456-1 AA Electric Co. A23456-1 23 B07 Polyvinyl chloride (PVC cable unit A23456-1 AA Electric Co. LCMZ456-AA Image: Components (Components) Specific phthalates (DE module IC ICM123-A01 - - O - Not applicable LCD unit LCMZ456-AA AA Electric Co. LCMZ456-AA 9 A09 Lead and its compound	No. No. Defined as one survey unity Li-ion battery Li500AA AA Electric Co. Li500 17 A01 Antimony and its compdy Wire coating Li-ion battery Li500AA AA Electric Co. Li500 19 IA03 Berylium and its compdy Mother alloy of connector Li-ion battery Li500AA AA Electric Co. Li500 9 IA03 Berylium and its compounds Electrode of chip resistor Cable unit A23456-1 AA Electric Co. A23456-1 23 IB07 Polyvinyl chloride (PVC) Insulator of wire cable unit A23456-1 AA Electric Co. A23456-1 34 I Specific phthalates (bE insulator of wire cable unit A23456-1 AA Electric Co. LCM2456-AA 9 IA09 Lead and its compounds Electrode of chip resistor LCD unit LCM2456-AA AA Electric Co. LCM2456-AA 9 IA09 Lead and its compound Electrode of chip resistor LCD unit LCM2456-AA AA Electric Co. LCM2456-AA 9 IA09 Lead and its compound Electrode of chip resistor LCD unit <t< td=""><td>No. No. No. Defined as one survey unity Li-ion battery LIS00AA AA Electric Co. LIS00 17 A01 Antimony and its compd/Wire coaling Fire retardant Li-ion battery LIS00AA AA Electric Co. LIS00 19 IA03 Berylium and its compd/Wire coaling Fire retardant Li-ion battery LIS00AA AA Electric Co. LIS00 9 IA09 Lead and its compound Electrode of chip resistor Electrode material cable unit A23456-1 AA Electric Co. A23456-1 IS07 Polyvinyl chloride (PVC) Wire jacket Platicizer cable unit A23456-1 AA Electric Co. A23456-1 IS07 Polyvinyl chloride (PVC) Wire jacket Platicizer cable unit A23456-1 AA Electric Co. A23456-1 IS0 Particizer Platicizer Platicizer</td><td>No. No. Defined as the survey unity (Wits) Li-ion battery LI500AA AA Electric Co. LI500 17 A01 Antimony and its compod/Wire coating Fire retardant 7.5. Li-ion battery LI500AA AA Electric Co. LI500 19 A03 Berylium and its compod/Wire coating Fire retardant 7.5. Li-ion battery LI500AA AA Electric Co. LI500 19 A03 Berylium and its compounds Electrode of chip resistor Electrode material 400 Lable unit A23456-1 AA Electric Co. A23456-1 23 B07 Polyving/ chloride (PVC) Insulator of wire Insulator material 400 Lob unit LA23456-1 AA Electric Co. A23456-1 23 B07 Polyving/ chloride (PVC) Insulator of wire Pasticizer 28 Incdule IC ICM123-01 - A23456-1 34 - Specific phhalates (DE Insulator of wire Pasticizer 28 LCD unit LCM2456-AA AA Electric Co. LCM2456-AA 42 0 - Not applicable - - - -</td></t<> <td>No. No. No. Defined as one survey unit) (WTe) (WTe</td> <td>No. No. No. defined as one survey unity (WTs) (WTs</td>	No. No. No. Defined as one survey unity Li-ion battery LIS00AA AA Electric Co. LIS00 17 A01 Antimony and its compd/Wire coaling Fire retardant Li-ion battery LIS00AA AA Electric Co. LIS00 19 IA03 Berylium and its compd/Wire coaling Fire retardant Li-ion battery LIS00AA AA Electric Co. LIS00 9 IA09 Lead and its compound Electrode of chip resistor Electrode material cable unit A23456-1 AA Electric Co. A23456-1 IS07 Polyvinyl chloride (PVC) Wire jacket Platicizer cable unit A23456-1 AA Electric Co. A23456-1 IS07 Polyvinyl chloride (PVC) Wire jacket Platicizer cable unit A23456-1 AA Electric Co. A23456-1 IS0 Particizer Platicizer Platicizer	No. No. Defined as the survey unity (Wits) Li-ion battery LI500AA AA Electric Co. LI500 17 A01 Antimony and its compod/Wire coating Fire retardant 7.5. Li-ion battery LI500AA AA Electric Co. LI500 19 A03 Berylium and its compod/Wire coating Fire retardant 7.5. Li-ion battery LI500AA AA Electric Co. LI500 19 A03 Berylium and its compounds Electrode of chip resistor Electrode material 400 Lable unit A23456-1 AA Electric Co. A23456-1 23 B07 Polyving/ chloride (PVC) Insulator of wire Insulator material 400 Lob unit LA23456-1 AA Electric Co. A23456-1 23 B07 Polyving/ chloride (PVC) Insulator of wire Pasticizer 28 Incdule IC ICM123-01 - A23456-1 34 - Specific phhalates (DE Insulator of wire Pasticizer 28 LCD unit LCM2456-AA AA Electric Co. LCM2456-AA 42 0 - Not applicable - - - -	No. No. No. Defined as one survey unit) (WTe) (WTe	No. No. No. defined as one survey unity (WTs) (WTs	

Contact below for practice of CASIO Green Procurement,

CASIO COMPUTER CO., LTD. Production & Purchasing Unit

casio_green_procurement@casio.co.jp